


## **Ocean microbes display remarkable genetic diversity**

Denise Brehm, Civil and Environmental Engineering MIT



The smallest, most abundant marine microbe, *Prochlorococcus*, is a photosynthetic bacteria species essential to the marine ecosystem. An estimated billion upon billion of the single-cell creatures live in the oceans, forming the base of the marine food chain and occupying a range of ecological niches based on temperature, light and chemical preferences, and interactions with other species. But the full extent and characteristics of diversity within this single species remains a puzzle.

To probe this question, scientists in Massachusetts Institute of Technology (MIT)'s Dept. of Civil and Environmental Engineering (CEE) recently performed a cell-by-cell genomic analysis on a wild population of *Prochlorococcus* living in a milliliter of ocean water, and found hundreds of distinct genetic subpopulations.

Each subpopulation in those few drops of water is characterized by a set of core gene alleles linked to a few flexible genes—a combination the MIT scientists call the “genomic backbone”—that endows the subpopulation with a finely tuned suitability for a particular ecological niche. Diversity also exists within the backbone subpopulations; most individual cells in the samples they studied carried at least one set of flexible genes not found in any other cell in its subpopulation.

Sallie Chisholm, a prof. of environmental studies in CEE and in MIT's Dept. of Biology; former CEE postdoctoral researcher Nadav Kashtan and co-authors

## Ocean microbes display remarkable genetic diversity

Published on Research & Development (<http://www.rdmag.com>)

---

published a paper on this work in *Science*.

The researchers estimate that the subpopulations diverged at least a few million years ago. The backbone is an older, more slowly evolving component of the genome, while the flexible genes reside in areas of the genome where gene exchange is relatively frequent, facilitating more rapid evolution.

The study also revealed that the relative abundance of the backbone subpopulations changes with the seasons at the study site, near Bermuda, adding strength to the argument that each subpopulation is finely tuned for optimal growth under different conditions.

“The sheer enormity of diversity that must be in the octillion *Prochlorococcus* cells living in the seas is daunting to consider,” Chisholm says. “It creates a robust and stable population in the face of environmental instability.”

Ocean turbulence also plays a role in the evolution and diversity of *Prochlorococcus*: A fluid mechanics model predicts that in typical ocean flow, just-divided daughter cells drift rapidly, placing them centimeters apart from one another in minutes, tens of meters apart in an hour and kilometers apart in a week’s time.

“The interesting question is, ‘Why does such a diverse set of subpopulations exist?’” Kashtan says. “The huge population size of *Prochlorococcus* suggests that this remarkable diversity and the way it is organized is not random, but is a masterpiece product of natural selection.”

Chisholm and Kashtan say the evolutionary and ecological distinction among the subpopulations is probably common in other wild, free-living (not attached to particles or other organisms) bacteria species with large populations and highly mixed habitats.

Source: [Massachusetts Institute of Technology](#) [1]

**Source URL (retrieved on 01/29/2015 - 5:28pm):**

<http://www.rdmag.com/news/2014/04/ocean-microbes-display-remarkable-genetic-diversity>

### Links:

[1] <http://newsoffice.mit.edu/2014/ocean-microbes-display-remarkable-genetic-diversity-0424>